

FLO-KWIP

KTH-80S & KTH-100S TRASH PUMP DATA SHEET




KTH-80s

SPECIFICATIONS


Powered by Honda GX270 & GX390 with low oil alert

1. The clean out cover can be removed easily without removing hoses
2. Handles on the clean out cover can be installed in vertical or horizontal position
3. Easy removal of knobs
4. New Impeller design with hexagon boss for easy installation and removal




PERFORMANCE CURVE

Performance ratings are guaranteed minimum, not inflated maximum.



SOLID SIZES



P: 03 8805 0500

HEAD OFFICE
8-10 Parkhurst Drive
Knoxfield VIC 3180

E: sales@toolkwippumps.com

NSW BRANCH:
184 Newton Rd
Wetherill Park NSW 2164

www.toolkwippumps.com

TECHNICAL SPECIFICATIONS

Model		KTH-80s	KTH-100s
PUMP	Connection Diameter	80mm (3")	100mm (4")
	Connection Thread	Parallel Pipe Thread	
	Total Head	27m	30m
	Delivery Volume	1450L/min	2050L/min
	Max. Suction Lift	8m	
	Material for Mechanical Seal	SiC (Silicon Carbide) X SiC	
	Material for Impeller	Hi-Chrome	
	Material for Volute	FCD	
ENGINE	Type	Air-Cooled 4-Stroke OHV Petrol Engine	
	Model	Honda GX270	Honda GX390
	Exhaust Volume	270 cc	390 cc
	Rated Output	5.1kW / 3600 rpm	7.0kW / 3600 rpm
	Max. Output	6.3kW / 3600 rpm	8.7kW / 3600 rpm
	Fuel	Automotive Unleaded Petrol	
	Fuel Tank Capacity	5.3L	6.1L
	Continuous Operating Time	Approx. 2hrs	
	Starting Method	Recoil Starter	
Accessories	1 Strainer, 2 Hose Couplings, 3 Hose Barbs and 1 Engine Tool Set		
Net Weight	76 Kg	86.5 Kg	
Gross Weight	66 Kg	82 Kg	
Dimensions L X W X H (mm)	730 X 530 X 600	785 X 565 X 630	



P: 03 8805 0500

HEAD OFFICE

8-10 Parkhurst Drive
Knoxfield VIC 3180

E: sales@toolkwippumps.com

NSW BRANCH:

184 Newton Rd
Wetherill Park NSW 2164

www.toolkwippumps.com